

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov



Pih Data Shoot

CONFIRMATION NO. 1678

| Bib Data Sheet | | | _ | | | | | | | |
|---|----------------|---------------------------------------|-----------------|---------|------------------------|-----------------------|---|------------|-------------|--|
| SERIAL NUMBI 10/020,439 | ER | FILING DATE 12/18/2001 RULE | CLASS 358 | | GROUP ART UNIT 2626 | | ATTORNEY DOCKET NO. 4425-231 | | | |
| APPLICANTS | | , | | | | | | | | |
| Chui-Kuei Chiu, Hsin-Chu, TAIWAN; | | | | | | | | | | |
| ** CONTINUING DATA ********************************** | | | | | | | | | | |
| ** FOREIGN APPLICATIONS ************************************ | | | | | | | | | | |
| IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 01/24/2002 | | | | | | | | | | |
| Foreign Priority claimed yes no STATE OR 35 USC 119 (a-d) conditions met wes no Met after Allowance Verified and Acknowledged Examiner's Senature Initials COUNTRY TAIWAN | | | | | SHEETS | | TOTAL | | INDEPENDENT | |
| | | | | | DR | | | AIMS 12 | CLAIMS 2 | |
| ADDRESS LOWE HAUPTMAN Suite 310 1700 Diagonal Roa Alexandria,VA 22314 | | AN & BERNER, LLP | | | | · | | | | |
| TITLE Calibration method of an image scanning system | | | | | | | | | | |
| | | | | | | ☐ All Fees | | | | |
| FILING FEE | FEES: | Authority has been given | in Paper | n Paper | | | 1.16 Fees (Filing) 1.17 Fees (Processing Ext. of time) | | | |
| | No. — No. — | to charge/credit for following: | DEPOSIT ACCOUNT | | | ☐ 1.18 Fees (Issue) | | | | |
| 740 | | · | | | | | Other | | | |
| | | | | | - | Credit | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |